

公共用水域水質測定結果

地点統一番号	類型	調査年度
213-1	#N/A	2003

水域名	#N/A
地点名	#N/A

調査機関	#N/A
------	------

一般項目																				
採取月日		5/20	7/15	11/10																
採取時刻		1107	1431	1452																
天候		02	04	04																
気温	()	24	25	20																
水温	()	20.5	21.3	18.9																
流量	(m ³ /S)																			
採取位置		01	01	01																
採取水深	(m)	0.1	0.1	0.1																
全水深	(m)																			
透明度	(m)																			
生活環境項目																				
pH																				
DO	(mg/l)																			
BOD	(mg/l)																			
COD	(mg/l)																			
SS	(mg/l)																			
大腸菌群数	(MPN/100ml)																			
全窒素	(mg/l)																			
全有機	(mg/l)																			
健康項目																				
カドミウム	(mg/l)																			
全シアン	(mg/l)																			
鉛	(mg/l)																			
六価クロム	(mg/l)																			
ヒ素	(mg/l)																			
総水銀	(mg/l)																			
アルキル水銀	(mg/l)																			
PCB	(mg/l)																			
ジクロロメタン	(mg/l)			<0.002	<0.002															
四塩化炭素	(mg/l)			<0.0002	<0.0002															
1,2-ジクロロエタン	(mg/l)			<0.0004	<0.0002															
1,1-ジクロロエチレン	(mg/l)			<0.002	<0.0004															
トリス-1,2-ジクロロエチレン	(mg/l)			<0.004	<0.002															
1,1,1-トリクロロエタン	(mg/l)			<0.0005	<0.0005															
1,1,2-トリクロロエタン	(mg/l)			<0.0006	<0.0006															
トリクロロエチレン	(mg/l)			<0.002	<0.002															
テトラクロロエチレン	(mg/l)			<0.0005	<0.0005															
1,3-ジクロロベンゼン	(mg/l)			<0.0002	<0.0002															
チウラム	(mg/l)			<0.0006	<0.0006															
シマジン	(mg/l)			<0.0003	<0.0003															
チオベンカルブ	(mg/l)			<0.002	<0.002															
ベンゼン	(mg/l)			<0.001	<0.001															
セレン	(mg/l)			<0.002	<0.002															
硝酸性及び亜硝酸性窒素	(mg/l)			0.64	1.1															
ふっ素	(mg/l)			0.08	<0.08															
ほう素	(mg/l)			<0.02	<0.02															
トリハロメタン生成能	(mg/l)																			
要監視項目等																				
銅	(mg/l)																			
亜鉛	(mg/l)																			
鉄(溶解性)	(mg/l)																			
クロム	(mg/l)																			
アンチモン	(mg/l)																			
EPN	(mg/l)																			
LAS	(mg/l)																			
クロロフィルa	(µg/l)																			

天候コード 01:快晴、02:晴、03:薄曇、04:曇、10:雨、12:雪、16:一時雨、18:時々雨

採取位置 01:流心(中央)、02:左岸、03:右岸